



Forming tool Order/Quote Form (UP COUNTERSINK FOR COUNTERSUNK SCREW (CHAMFERING))

CODE N	0.							[	DAC	20	URL	https://w/	ww.cor	nic co ir	۸/
DATE:		(D)/ (M)/ 20 (Y)				PAGE		JE	URL https://www.conic.co.jp/ E-mail tools@conic.co.jp (Specify all dimensions in Metric.)						
	Oı	rder				Quote	1	L	,		P/O No	•			
Compa Name	ny						Ag	ency	TEL (	)	Ship	date			
Issued by										Email (	)			(D)	(M)
Repeat		CONIC Serial No.						DATE			SPEC				
Order								(D)/ (M)			(Y)				
**When you repeat order, please tell information as much as possible.															
Standard	Thin Mura Trun Nissl	Murata type □114 <del>□Vuk</del> Frumpf type □TR-Long □TR-S lisshinbo type □CP □CP-I nritsu type □S				□PT3 □PT □VELA II □Vulcan □TR-Short □CP-Long	:		tation	Shape(B)  ☑Round  ☐Obround	Forming  ☑UP  □DOWN	□SET Ass	´	QTY	
		Spe	3 ( 4 ( pecial pec	Screw h Screw h (Sha (Siz	head head ape : e :		)=Φ6) )=Φ8)	□M5 (Screw head diameter(B)=Φ10) □M6 (Screw head diameter(B)=Φ12)  □□Obround □Other )							
Option	Free □Code marking  Extra Charge □ DIE PUNCH / For Upward foming : D2 → HSS (We recomend especially for stainless steel punching.)														
Shape of	your	request	: (trigo	nomet	ry)								Ir	ndicate dir	mensions
More than 0.3		(0.7)			A (9	92°)	B		Material=	More than 0.3	_	(92°)	B		Material=
☐TYPE1 Chamfer with a straight section.											□TYPE2 Chamfer without a straight section.				
**Notice :	A guic	le assy is	not inc	:luded m	nore t	han C station.	· ■ Ima	ge		3				1	